

« $\frac{1}{2}$ » μ ° \tilde{N} , $\tilde{N} \in \frac{3}{4} \frac{1}{2} \tilde{N} \cdot \tilde{N}$, $\tilde{N} \in \tilde{N} f \frac{1}{4} \mu \frac{1}{2} \tilde{N}$,
 $\frac{1}{2} \frac{1}{2}$ instrumentari.ru

$\tilde{D} \frac{1}{2} \tilde{N} \cdot \tilde{N}$, $\tilde{N} \in \tilde{N} f \frac{1}{4} \mu \frac{1}{2} \tilde{N}$, $\tilde{D} \cdot \tilde{N} \in \tilde{D}$, $\tilde{N} \in \tilde{N} f$

$\tilde{D}_i \tilde{N}$, $\tilde{D} \frac{1}{2} \tilde{D} \frac{1}{2}$ _



$\tilde{D} \mu \tilde{D} \cdot \tilde{N} f \tilde{D} \tilde{N} \in \tilde{N}$, $\tilde{D} \cdot \tilde{N}$, $\tilde{N} \in 1 - 20 \tilde{D}$, $\tilde{D} \cdot 40$

- « $\frac{1}{2}$ » μ ° \tilde{N} † \tilde{D} » $\frac{3}{4}$
- « $\tilde{D} \tilde{N} \in \mu \tilde{D} \cdot \tilde{N} \cdot \tilde{N} f \tilde{N} \% \tilde{D} \cdot \tilde{N} \cdot$
- 1
- 2
- $\tilde{D}_i \tilde{D} \mu \tilde{D} \cdot \tilde{N} f \tilde{N} \tilde{N} \% \tilde{D} \cdot \tilde{N} \cdot$ »
- $\tilde{D} \cdot \tilde{D} \frac{3}{4} \frac{1}{2} \mu \tilde{N} \dagger$ » »